











No.	Photo	Item No.	Functions		SIZE (cm) L*W*H	REMARK
1		HMXS88-1	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 1. Self-Cleaning Nozzle 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Feet Sensor Flushing 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
2		HMXS88-2	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
3		HMXS81-1	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Feet Sensor Flushing 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized

4		HMXS81-2	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11.Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5.Plug can be customized
5		HMXS1-1	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11.Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19.Feet Sensor Flushing 20.UV sterilization 	58*40*45	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm P-trap 180mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5.Plug can be customized
6		HMXS1-2	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11.Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 20.UV sterilization 	58*40*45	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm P-trap 180mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5.Plug can be customized
7		HMXS84-1	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11.Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Feet Sensor Flushing 20.UV sterilization 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm P-trap 180mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5.Plug can be customized

8		HMXS84-2	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 20. UV sterilization 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm P-trap 180mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
9		HMXS0-1	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Feet Sensor Flushing 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
10		HMXS0-2	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
11		HMXS36-1	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Feet Sensor Flushing 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized

12		HMXS36-2	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
13		HMS-32B	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
14		HMS-33B	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
15		HMS-Q8	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized

16		HMS-Q9	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
17		HMS-Q10	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized
18		HMS-Q12	<ol style="list-style-type: none"> 1. Bidet Washing 2. Hip Washing 3. Defecation Assist 4. Warm Wind Drying 5. Strong-Soft Massage 6.. Moving Massage 7. Adjustable Water Temperature 8. Adjustable Drying Temperature 9. Adjustable Seat Temperature 10. Self-Cleaning Nozzle 	<ol style="list-style-type: none"> 11. Seat cover heated 12. Adjustable Nozzle Position 13. Power Outage Flushing 14. Soft Night Light 15. Electrical Leakage Protection 16. Remote Control 17. Side Buttons 18. LED Display 19. Auto Open/Close Cover & Feet Sensor Open/Close Cover 	68*41*51	<ol style="list-style-type: none"> 1. S-trap 250/300/400mm 2. Voltage : 110/220V 3. No water pressure limit 4. Quick heating type without cistern 5. Plug can be customized